UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,114	03/31/2006	Adam Bruce	9077-000010/US	7428
30593 7590 03/18/2010 HARNESS, DICKEY & PIERCE, P.L.C.			EXAMINER	
P.O. BOX 8910	•	GOUGH, TIFFANY MAUREEN		
RESTON, VA 20195			ART UNIT	PAPER NUMBER
			1657	
			MAIL DATE	DELIVERY MODE
			03/18/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/574,114	BRUCE ET AL.				
Office Action Summary	Examiner	Art Unit				
	TIFFANY M. GOUGH	1657				
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 12 Fe	ebruary 2010					
	action is non-final.					
·=						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.						
4a) Of the above claim(s) <u>7-10 and 14</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-6</u> is/are rejected.	· · · · · · · · · · · · · · · · · · ·					
7) Claim(s) <u>11-13</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a)						
1.☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atom, apriloution				

Application/Control Number: 10/574,114 Page 2

Art Unit: 1657

DETAILED ACTION

Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claims 1-14 are pending. Claims 7-10, 14 are withdrawn from consideration

Prosecution on the merits of this application is reopened on claims 1-6, 11-13

considered unpatentable for the reasons indicated below:

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-3, 6 are rejected under 35 U.S.C. 102(a) and (e) as being anticipated by Matson (US 2003/0050689 A1).

Applicants claim a bioartificial implant comprising a semipermeable barrier having a surface coating of a bioactive metal which does not interfere with the semipermeability of the semipermeable barrier. The barrier allows or prevents diffusion of substances, material and molecules to the opposite side of the barrier. Applicants also claim the surface coating to be a net of bioactive metal.

Matson teaches a bioartificial implant comprising a semipermeable barrier having a surface coating of a bioactive metal which does not interfere with the semipermeability of the semipermeable barrier (0013, 0016-17, 0025, 0026). The barrier allows or prevents diffusion of substances, material and molecules to the opposite side of the barrier (0024, 0025, 0026, 0027, 0032, claims 14, 20). Matson teaches ion beam deposition to apply the metal (0031).

Thus, the reference anticipates the claimed subject matter.

Claims 1-6 are rejected under 35 U.S.C. 102(b) as being anticipated by WO 01/70379 A1.

Applicants claim a bioartificial implant comprising a semipermeable barrier having a surface coating of a bioactive metal which does not interfere with the semipermeability of the semipermeable barrier. The barrier allows or prevents diffusion of substances, material and molecules to the opposite side of the barrier. Applicants also claim the surface coating to be a net of bioactive metal such as titanium which has been applied by an atomizing process.

Art Unit: 1657

WO'379 teaches a semipermeable barrier having a metallic surface coating comprising titanium, zirconium, tantalum and an alloy thereof (p. 3, lines 13-14, p. 8, lines 5-17) that permits permeation flow of a solvent as well as solutes while rejecting other solutes and solids (p. 1, lines 8-10, p. 3, lines 8-11, p. 5, 11-15). The coating on the barrier is permeable to not interfere with the semipermeability of the semipermeable barrier (p. 7, lines 20-22). WO'379 teaches atomizing processes such as vapor deposition (p. 10, lines 1-2).

With respect to the 35 U.S.C. 102 rejections above, it is noted that the cited references do not teach that their product can be used in the manner instantly claimed. However, the intended use of the claimed product does not patentably distinguish the composition, per se, since such undisclosed use is inherent in the reference product. In order to be limiting, the intended use must create a structural difference between the claimed product and the product of the prior art. In the instant case, the intended use fails to create a structural difference, thus, the intended use is not limiting. Please note that when applicant claims a product in terms of function, and the product of the prior art appears to be the same, the Examiner may make rejections under both 35 U.S.C 102 and 103 (MPEP 2111). It is noted that there are no claims drawn to dimension and/or size of the instant "implant" and in absence of evidence to the contrary, the product of WO'379 could be used as an implant. The claims do not limit the implant to be that which is implanted into the body, *per se*.

Thus, the reference anticipates the claimed subject matter.

Art Unit: 1657

2111.02 Weight of Preamble

"[A] claim preamble has the import that the claim as a whole suggests for it." Bell Communications Research, Inc. v. Vitalink Communications Corp., 55 F.3d 615, 620, 34 USPQ2d 1816, 1820 (Fed. Cir. 1995). "If the claim preamble, when read in the context of the entire claim, recites limitations of the claim, or, if the claim preamble is necessary to give life, meaning, and vitality' to the claim, then the claim preamble should be construed as if in the balance of the claim." Pitney Bowes, Inc. v. Hewlett-Packard Co., 182 F.3d 1298, 1305, 51 USPQ2d 1161, 1165-66 (Fed. Cir. 1999). See also Kropa v. Robie, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951) (A preamble reciting "An abrasive article" was deemed essential to point out the invention defined by claims to an article comprising abrasive grains and a hardened binder and the process of making it. The court stated "it is only by that phrase that it can be known that the subject matter defined by the claims is comprised as an abrasive article. Every union of substances capable inter alia of use as abrasive grains and a binder is not an abrasive article." Therefore, the preamble served to further define the structure of the article produced.).

Page 5

PREAMBLE STATEMENTS LIMITING STRUCTURE

Any terminology in the preamble that limits the structure of the claimed invention must be treated as a claim limitation. See, e.g., Corning Glass Works v. Sumitomo Elec. U.S.A., Inc., 868 F.2d 1251, 1257, 9 USPQ2d 1962, 1966 (Fed. Cir. 1989) (The determination of whether preamble recitations are structural limitations can be resolved only on review of the entirety of the application "to gain an understanding of what the inventors actually invented and intended to encompass by the claim."); Pac-Tec Inc. v. Amerace Corp., 903 F.2d 796, 801, 14 USPQ2d 1871, 1876 (Fed. Cir. 1990) (determining that preamble language that constitutes a structural limitation is actually part of the claimed invention). See also In re Stencel, 828 F.2d 751, 4 USPQ2d 1071 (Fed. Cir. 1987). (The claim at issue was directed to a driver for setting a joint of a threaded collar, however the body of the claim did not directly include the structure of the collar as part of the claimed article. The examiner did not consider the preamble, which did set forth the structure of the collar, as limiting the claim. The court found that the collar structure could not be ignored. While the claim was not directly limited to the collar, the collar structure recited in the preamble did limit the structure of the driver. "[T]he framework – the teachings of the prior art - against which patentability is measured is not all drivers broadly, but drivers suitable for use in combination with this collar, for the claims are so limited." Id. at 1073, 828 F.2d at 754.).

Page 6

Art Unit: 1657

PREAMBLE STATEMENTS RECITING PURPOSE OR INTENDED USE

The claim preamble must be read in the context of the entire claim. The determination of whether preamble recitations are structural limitations or mere statements of purpose or use "can be resolved only on review of the entirety of the [record] to gain an understanding of what the inventors actually invented and intended to encompass by the claim." Corning Glass Works, 868 F.2d at 1257, 9 USPQ2d at 1966. If the body of a claim fully and intrinsically sets forth all of the limitations of the claimed invention, and the preamble merely states, for example, the purpose or intended use of the invention, rather than any distinct definition of any of the claimed invention's limitations, then the preamble is not considered a limitation and is of no significance to claim construction. Pitney Bowes, Inc. v. Hewlett-Packard Co., 182 F.3d 1298, 1305, 51 USPQ2d 1161, 1165 (Fed. Cir. 1999). See also Rowe v. Dror, 112 F.3d 473, 478, 42 USPQ2d 1550, 1553 (Fed. Cir. 1997) ("where a patentee defines a structurally complete invention in the claim body and uses the preamble only to state a purpose or intended use for the invention, the preamble is not a claim limitation"); Kropa v. Robie, 187 F.2d at 152, 88 USPQ2d at 480-81 (preamble is not a limitation where claim is directed to a product and the preamble merely recites a property inherent in an old product defined by the remainder of the claim); STX LLC. v. Brine, 211 F.3d 588, 591, 54 USPQ2d 1347, 1350 (Fed. Cir. 2000) (holding that the preamble phrase "which provides improved playing and handling characteristics" in a claim drawn to a head for a lacrosse stick was not a claim limitation). During examination, statements in the preamble reciting the purpose or intended use of the claimed invention must be evaluated to determine whether the recited purpose or intended use results in a structural difference (or, in the case of process claims, manipulative difference) between the claimed invention and the prior art. If so, the recitation serves to limit the claim. See, e.g., In re Otto, 312 F.2d 937, 938, 136 USPQ 458, 459 (CCPA 1963) (The claims were directed to a core member for hair curlers and a process of making a core member for hair curlers. Court held that the intended use of hair curling was of no significance to the structure and process of making.); In re Sinex, 309 F.2d 488, 492, 135 USPQ 302, 305 (CCPA 1962) (statement of intended use in an apparatus claim did not distinguish over the prior art apparatus). If a prior art structure is capable of performing the intended use as recited in the preamble, then it meets the claim. See, e.g., In re Schreiber, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997) (anticipation rejection affirmed based on Board's factual finding that the reference dispenser (a spout disclosed as useful for purposes such as dispensing oil from an oil can) would be capable of dispensing popcorn in the manner set forth in appellant's claim 1 (a dispensing top for dispensing popcorn in a specified manner)) and cases cited therein. See also MPEP § 2112 - § 2112.02.

Application/Control Number: 10/574,114 Page 7

Art Unit: 1657

Allowable Subject Matter

Claims 11,12,13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TIFFANY M. GOUGH whose telephone number is (571)272-0697. The examiner can normally be reached on M-F 8-5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weber Jon can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/574,114 Page 8

Art Unit: 1657

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ralph Gitomer/ Primary Examiner, Art Unit 1657

/Tiffany M Gough/ Examiner, Art Unit 1657